

VARIETY DESCRIPTION

1.	Reference number of reporting authority	: DEE 4065902
2.	Reference number of requesting authority	: 25/2017
3.	Breeder's reference / document denomination	: NORD 13/1114 / Bente
4.	Applicant (name and address)	: Nordsaat Saatzucht GmbH
		Böhnshauser Str. 1
		38895 LANGENSTEIN Allemagne
	Breeder's name	: Nordsaat Saatzucht GmbH
5.	Botanical name of taxon	: Hordeum vulgare L.
6.	Common name of taxon	: 2 row spring barley
7.	Variety denomination	1
7bis.	Variety type	: inbred line
8.	Date and document number of CPVO test guidelines	: 01/03/2012, CPVO-TP/019/3
9.	Date and/or document number of national test	i
	guidelines	
10.	Testing authority	: GEVES, France
11.	Testing station(s) and place(s)	: GEVES L'Anjouère (49) - Le Magneraud (17)
12.	Period of testing	: 15/02/2014 - 15/07/2015
13.	Date and place of document	: 07/12/2018, L'Anjouère

Characteristics observed.

	haracteristics observed		
OCVV or National N°	Characteristic	Level of expression	Note
1	Kernel colour of aleurone layer	whitish	1
2	Plant growth habit	semi-erect to intermediate	4
3	Lowest leaves hairiness of leaf sheaths	absent	1
4 5 6	Flag leaf anthocyanin coloration of auricles Attitude glaucosity of sheath	strong to very strong horizontal to semi-drooping strong to very strong	8 6 8
7	Time of ear emergence first spikelet visible on 50% of ears	medium	5
8	Awns anthocyanin coloration of tips	strong	7
9 10	Ear glaucosity attitude	medium horizontal to drooping	5 6
11	Plant length (stem, ear and awns)	medium	5
12 13	Ear number of rows shape	two parallel	1 5

OCVV or			1
National	Characteristic	Level of expression	Note
N°			100000
14	density	lax to medium	4
15	length (excluding awns)	long to very long	8
	Awn		
16	length (compared to ear)	medium to long	6
d	spickle on central nerve	partially sprickle: 1 to 5 cm	2
	•	bare at the basis	-
	Dochio		
17	Rachis length of first segment	medium	_
18	curvature of first segment	weak to medium	5 4
10	carvature of mist segment	weak to medium	4
	Ear		
19	development of sterile spiklets	non or rudimentary	1
	Sterile spikelet		
20	attitude (in mid-third of ear)	Not applicable	
	Median enityslet		
21	Median spikelet length of glume and its awn relative to grain	equal	2
	rongin or granic and its anni foliative to grain	equal	2
	Grain		
22	rachilla hair type	long	2
	Rachilla		
1	length relative to grain	medium	2
m	length relative to the rachis segment	medium	2
*	Grain		
23	husk	present	9
24	anthocyanin coloration of nerves of lemma	medium to strong	6
25	spikulation of inner lateral nerves of dorsal side of lemma	absent or very weak	1
n	spikulation of outer lateral nerves of dorsal side at lemma	weak to medium	4
26	hairiness of ventral furrow	absent	1
27	disposition of lodicules	clasping	2
	Seasonal type		
28		spring type	3

16. Similar varieties and differences in relation to those varieties

Denomination of similar variety	Characteristic in which the similar variety is different					Candidate variety State of expression	
Sangria	6	Flag leaf glaucosity of sheath	6	medium to strong	8	strong to very strong	
	8	Awns anthocyanin coloration of tips	5	medium	7	strong	
	10	Ear attitude	4	semi-erect to horizontal	6	horizontal to drooping	

17. Additional information:

a) Additional data	-	-	_
h) Remarks	-		

(a,b,..) Characteristics identified by a letter are additional characteristics used in France

Reference number of reporting authority: DEE 4065902, - - -